

 **moduleo**®  
design floors



# Roots

Cleverly designed  
Unique living

Brochure | For professional use

# The right floor for every project.

2

English Walnut  
20275

Combined with  
medium paintable skirting



## 01 Your rhythm, your Roots

Created for diverse concepts 04

Made for tomorrow 06

## 02 Collection overview

**Roots 55** 12

Medium Plank

Medium Tile

Standard Plank

Standard Tile

Square Tile

Herringbone

**Roots 40** 18

Standard Plank

Standard Tile

## 03 4 themes to shape your floor choice 26

## 04 Installation

Quick and easy to install 34

## 05 Finishing

Complete the space 38

Maintenance 44

# Your rhythm, your Roots



Blackjack Oak  
22220

Home is the place where your customers unwind and express their personality. Why not help them shape that space in a way that truly suits them?

At Moduleo, we believe an interior should reflect your customer's rhythm and lifestyle. That's why we design floors that are not only aesthetically appealing, but also seamlessly align with everyday use. Durable, easy to maintain and made to last for years.

Our Roots collection is inspired by the calm and simplicity of nature. It brings balance, comfort and a timeless look to any space -- values your customers are looking for and that help you provide convincing advice. This way, you're not just offering a floor, but a complete solution that perfectly matches your customer's expectations.

# Bring every living style to life


With Roots, you offer more than just flooring - you deliver a complete experience. Rich textures create visual depth, absorb sound and provide a pleasant, warm feel underfoot. Comfort and aesthetics go hand in hand here. From timeless oak and refined stone to soft concrete looks, the collection allows your customers to effortlessly combine materials and colours into a harmonious whole that perfectly matches their personal style. In doing so, you support them in making a choice that truly feels right.

That same attention to detail is reflected in the way Roots is developed. The collection is designed and produced in Belgium, with a focus on quality, sustainability and forward-thinking innovation. Thanks to our circular 'floor-to-floor' programme, you also choose a solution that responds to the growing demand for sustainable products.

This way, you offer your customer a floor that is not only beautiful and comfortable, but also tells a powerful story.



- ✓ Looks natural  
Feels natural
- ✓ Warm & silent
- ✓ Mix & match  
design seamlessly



# Crafted for tomorrow

At Moduleo, you can enjoy stunning vinyl floors that not only transform the space but also help protect the planet. With floors made from vinyl, our commitment to sustainability is more important than ever. That's why our floors are designed for durability, simple maintenance, and long-lasting performance - meaning less waste. "Crafted for tomorrow" isn't just a phrase; it reflects our commitment to thoughtful design, innovation, and sustainability in everything we create.





Scan and read how  
Recover contributes  
to a more  
sustainable floor.



## 100% Recyclable floors

Crafted for a second life - after a  
**lifetime**, every part can be reused.  
No waste, only endless potential.



## 24% Recycled content

No fluff, just facts—recycled  
materials in Moduleo floors, closing  
the loop for those who come after us.



## Recover Programme

Got old floors? We'll take care of  
everything—collecting, sorting,  
and prepping for their next life.  
We've got it covered.

# From old floors to new floors

Moduleo floors are made to stand the test of time - not just for their toughness and beauty, but because they can be recycled at the end of their life.



1.

**Old vinyl  
floors and  
skirtings**

2.

**Shredded  
into small  
vinyl pieces**




3.

Melted into  
new, usable  
granules

4.

New Moduleo  
floors to enjoy  
another lifetime

# Built smart. Strong in every layer.



Creative design is one thing. Let's not forget our luxury vinyl floors also have excellent functional features in terms of comfort and performance. The popular design adage 'form follows function' suits Roots perfectly.

## 01 Top lacquer

Protective Protectonite® top layer: prevents wear and protects against scratches, scuffs and moisture.

## 02 Wear layer

Protects the design. The structured surface provides an authentic and natural look

## 03 Print layer

Various wood and stone designs printed with an innovative technique for an extraordinarily realistic effect.

## 04 Glass fibre

Ensures outstanding stability, preventing the product from swelling or shrinking.

## 05 Middle layer

Protects the design. The structured surface provides an authentic and natural look.

## 06 Glass fibre


By combining two glass fibre layers, Moduleo® offers outstanding stability, preventing the product from swelling or shrinking.

## 07 Backing

Sound-absorbing and waterproof backing layer with a refined texture for maximum ease of installation, containing at least 24% recycled content and, together with our Flex Pro Pure, fully recyclable through the Recover Take Back programme.

- ✓ Gluedown product
- ✓ Compatible with Flex Pro Pure

# Plank designs



| Roots Herringbone   |                        |            |                  |         |            |                                                |
|---------------------|------------------------|------------|------------------|---------|------------|------------------------------------------------|
|                     | Embossing (reliëf)     | Wear layer | Dimension (mm)   | Class   | Waterproof | Warranty                                       |
| Classic Herringbone | in register & standard | 0.55       | 408 x 102 x 2.50 | 23   33 | yes        | Residential: Lifetime<br>Commercial: 10 years* |
| Short Herringbone   | in register & standard | 0.55       | 632 x 158 x 2.50 | 23   33 | yes        | Residential: Lifetime<br>Commercial: 10 years* |

| Roots Planken  |                         |            |                   |         |            |                                                |
|----------------|-------------------------|------------|-------------------|---------|------------|------------------------------------------------|
|                | Embossing (reliëf)      | Wear layer | Dimension (mm)    | Class   | Waterproof | Warranty                                       |
| Standard plank | in register & standard  | 0.40       | 1320 x 196 x 2.35 | 32      | yes        | Residential: Lifetime<br>Commercial: 7 years*  |
| Standard plank | in register & standard  | 0.55       | 1320 x 196 x 2.50 | 23   33 | yes        | Residential: Lifetime<br>Commercial: 10 years* |
| Medium plank   | in register & standaard | 0.55       | 1498 x 214 x 2.50 | 23   33 | yes        | Residential: Lifetime<br>Commercial: 10 years* |

# Tile designs



| Roots Tiles   | Embossing (reliëf)      | Wear layer | Dimension (mm)   |         |            |                                                |
|---------------|-------------------------|------------|------------------|---------|------------|------------------------------------------------|
|               |                         |            |                  | Class   | Waterproof | Warranty                                       |
| Square tile   | in register & standaard | 0.55       | 493 x 493 x 2.50 | 23   33 | yes        | Residential: Lifetime<br>Commercial: 10 years* |
| Standard tile | standaard               | 0.40       | 659 x 329 x 2.35 | 32      | yes        | Residential: Lifetime<br>Commercial: 7 years*  |
| Standard tile | standaard               | 0.55       | 659 x 329 x 2.50 | 23   33 | yes        | Residential: Lifetime<br>Commercial: 10 years* |
| Medium tile   | standaard               | 0.55       | 986 x 493 x 2.50 | 23   33 | yes        | Residential: Lifetime<br>Commercial: 10 years* |




Moduleo floors with 'embossed in register' technology have a realistic texture that is perfectly in sync with the design.


\* On request until 15 years.

# Medium Plank

| Product details      |            |                |                     |             |             |
|----------------------|------------|----------------|---------------------|-------------|-------------|
| Dimension (mm)       | Wear layer | Classification | m <sup>2</sup> /box | pieces /box | weight /box |
| 1498 x 214 x 2.50 mm | 0.55 mm    | 33             | 3.206               | 10          | 13.43 kg    |



**Galway Oak 87243** RO87243MP41238  
Medium plank 1498 x 214 mm ✓



**Galway Oak 87245** RO87245MP40988  
Medium plank 1498 x 214 mm ✓



**Galway Oak 87275** RO87275MP40989  
Medium plank 1498 x 214 mm ✓



**Laurel Oak 51229** RO51229MP40643  
Medium plank 1498 x 214 mm ✓



**Laurel Oak 51222** RO51222MP40642  
Medium plank 1498 x 214 mm ✓




**Nashville Oak 88211** RO88211MP40777  
Medium plank 1498 x 214 mm ✓



**Laurel Oak 51282** RO51282MP40646  
Medium plank 1498 x 214 mm ✓




**Laurel Oak 51332** RO51332MP40647  
Medium plank 1498 x 214 mm ✓



**Glyde Oak 22831** RO22831MP41240  
Medium plank 1498 x 214 mm ✓




Moduleo floors with 'embossed in register' technology have a realistic texture that is perfectly in sync with the design.

**Glyde Oak 22835**


RO22835MP41241

Medium plank 1498 x 214 mm

**Nashville Oak 88251**


RO88251MP41242

Medium plank 1498 x 214 mm

**Nashville Oak 88299**


RO88299MP40779

Medium plank 1498 x 214 mm

**English Walnut 20275**


RO20275MP41243

Medium plank 1498 x 214 mm

**Galtymore Oak 86346**


RO86346MP41236

Medium plank 1498 x 214 mm

**Laurel Oak 51822**

RO51822MP40648

Medium plank 1498 x 214 mm

**Nashville Oak 88892**


RO88892MP41295

Medium plank 1498 x 214 mm

**English Walnut 20572**

RO20572MP41244

Medium plank 1498 x 214 mm

**English Walnut 20889**


RO20889MP41245

Medium plank 1498 x 214 mm




# Medium Tile


| Product details     |            |                |                     |             |             |
|---------------------|------------|----------------|---------------------|-------------|-------------|
| Dimension (mm)      | Wear layer | Classification | m <sup>2</sup> /box | pieces /box | weight /box |
| 986 x 493 x 2.50 mm | 0.55 mm    | 33             | 4.861               | 10          | 20.27 kg    |



**Allegro 46252** RO46252MT49299  
Medium tile 986 x 493 mm ✓



**Allegro 46953** RO46953MT49298  
Medium tile 986 x 493 mm ✓



**Mattina 46580** RO46580MT49302  
Medium tile 986 x 493 mm ✓

# Square Tile

| Product details     |            |                |                     |             |             |
|---------------------|------------|----------------|---------------------|-------------|-------------|
| Dimension (mm)      | Wear layer | Classification | m <sup>2</sup> /box | pieces /box | weight /box |
| 493 x 493 x 2.50 mm | 0.55 mm    | 33             | 3.403               | 14          | 14.12 kg    |



**Lugano 46210** RO46210SQT40791  
Square tile 493 x 493 mm ✓



**Locarno 46963** RO46963SQT49301  
Square tile 493 x 493 mm ✓

# Standard Tile



Moduleo floors with 'embossed in register' technology have a realistic texture that is perfectly in sync with the design.

| Product details     |            |                |         |             |             |
|---------------------|------------|----------------|---------|-------------|-------------|
| Dimension (mm)      | Wear layer | Classification | m² /box | pieces /box | weight /box |
| 659 x 329 x 2.50 mm | 0.55 mm    | 33             | 3.469   | 16          | 13.74 kg    |



**Triana 46210** RO46210ST40802  
Standard tile 659 x 329 mm ✓



**Triana 46224** RO46224ST41248  
Standard tile 659 x 329 mm ✓



**Triana 46233** RO46233ST40803  
Standard tile 659 x 329 mm ✓




**Triana 46924** RO46924ST41294  
Standard tile 659 x 329 mm ✓



**Meteora 46943** RO46943ST40800  
Standard tile 659 x 329 mm ✓



**Mustang Slate 70939** RO70939ST40626  
Standard tile 659 x 329 mm ✓



**Mustang Slate 70998** RO70998MT40628  
Standard tile 659 x 329 mm ✓

# Standard Plank

| Product details      |            |                |                     |             |             |
|----------------------|------------|----------------|---------------------|-------------|-------------|
| Dimension (mm)       | Wear layer | Classification | m <sup>2</sup> /box | pieces /box | weight /box |
| 1320 x 196 x 2.50 mm | 0.55 mm    | 33             | 3.622               | 14          | 15.09 kg    |



**Blackjack Oak 22937** RO22937SDP40596  
Standard plank 1320 x 196 mm ✓



**Blackjack Oak 22246** RO22246SDP40593  
Standard plank 1320 x 196 mm ✓



**Blackjack Oak 22229** RO22229SDP40592  
Standard plank 1320 x 196 mm ✓



**Marsh Wood 22326** RO22326SDP40661  
Standard plank 1320 x 196 mm ✓




**Blackjack Oak 22220** RO22220SDP40591  
Standard plank 1320 x 196 mm ✓



**Classic Oak 24230** RO24230SDP41199  
Standard plank 1320 x 196 mm ✓



**Galway Oak 87250** RO87250SDP41202  
Standard plank 1320 x 196 mm ✓




**Galway Oak 87450** RO87450SDP41201  
Standard plank 1320 x 196 mm ✓



**Galtymore Oak 86871** RO86871SDP41252  
Standard plank 1320 x 196 mm ✓




Moduleo floors with 'embossed in register' technology have a realistic texture that is perfectly in sync with the design.




**Classic Oak 24430** RO24430SDP41200

Standard plank 1320 x 196 mm ✓




**Country Oak 54460** RO54460SDP41198

Standard plank 1320 x 196 mm ✓




**Country Oak 54852** RO54852SDP40842

Standard plank 1320 x 196 mm ✓



**Galtymore Oak 86879** RO86879MP41251

Standard plank 1320 x 196 mm ✓




**Galway Oak 87832** RO87832SDP40774

Standard plank 1320 x 196 mm ✓



**Galway Oak 87870** RO87870MP41253

Standard plank 1320 x 196 mm ✓



**Country Oak 54991** RO54991SDP40849

Standard plank 1320 x 196 mm ✓

# Standard Plank

| Product details      |            |                |                     |             |             |
|----------------------|------------|----------------|---------------------|-------------|-------------|
| Dimension (mm)       | Wear layer | Classification | m <sup>2</sup> /box | pieces /box | weight /box |
| 1320 x 196 x 2.35 mm | 0.40 mm    | 32             | 3.881               | 15          | 15.09 kg    |



**Midland Oak 22110** RO22110SDP40600  
Standard plank 1320 x 196 mm ✓



**Midland Oak 22929** RO22929SDP40606  
Standard plank 1320 x 196 mm ✓



**Country Oak 24918** RO24918SDP40837  
Standard plank 1320 x 196 mm ✓



**Midland Oak 22231** RO22231SDP40602  
Standard plank 1320 x 196 mm ✓



**Country Oak 24130** RO24130SDP40834  
Standard plank 1320 x 196 mm ✓



**Midland Oak 22255** RO22255SDP41291  
Standard plank 1320 x 196 mm ✓



**Classic Oak 24837** RO24837SDP40828  
Standard plank 1320 x 196 mm ✓




**Country Oak 24842** RO24842SDP40836  
Standard plank 1320 x 196 mm ✓




**Classic Oak 24235** RO24235SDP40826  
Standard plank 1320 x 196 mm ✓




Moduleo floors with 'embossed in register' technology have a realistic texture that is perfectly in sync with the design.



**Classic Oak 24438** RO24438SDP40827  
Standard plank 1320 x 196 mm ✓




**Midland Oak 22842** RO22842SDP41292  
Standard plank 1320 x 196 mm ✓



**Classic Oak 24888** RO24888SDP41290  
Standard plank 1320 x 196 mm ✓

## Standard Tile

| Product details     |            |                |                     |             |             |
|---------------------|------------|----------------|---------------------|-------------|-------------|
| Dimension (mm)      | Wear layer | Classification | m <sup>2</sup> /box | pieces /box | weight /box |
| 659 x 329 x 2.35 mm | 0.40 mm    | 32             | 3.903               | 18          | 13.74 kg    |



**Alabaster Marble 46104** RO46104ST41289  
Standard tile 659 x 329 mm ✓



**Striato 46906** RO46906ST49322  
Standard tile 659 x 329 mm ✓

# Classic & Short Herringbone

| Product details     |                     |            |                |                     |             |             |
|---------------------|---------------------|------------|----------------|---------------------|-------------|-------------|
| Dimension (mm)      |                     | Wear layer | Classification | m <sup>2</sup> /box | pieces /box | weight /box |
| Short Herringbone   | 632 x 158 x 2.50 mm | 0.55 mm    | 33             | 2.397               | 24          | 9.97 kg     |
| Classic Herringbone | 408 x 102 x 2.50 mm | 0.55 mm    | 33             | 1.665               | 40          | 6.76 kg     |



Galway Oak 87243

|                                        |                 |
|----------------------------------------|-----------------|
| Classic Herringbone (CHB) 408 x 102 mm | RO87243CHB41238 |
| Short Herringbone (HB) 632 x 158 mm    | RO87243HB41238  |



Galway Oak 87250

|                                        |                 |
|----------------------------------------|-----------------|
| Classic Herringbone (CHB) 408 x 102 mm | RO87250CHB41202 |
| Short Herringbone (HB) 632 x 158 mm    | RO87250HB41202  |



Classic Oak 24230

|                                        |                 |
|----------------------------------------|-----------------|
| Classic Herringbone (CHB) 408 x 102 mm | RO24230CHB41199 |
| Short Herringbone (HB) 632 x 158 mm    | RO24230HB41199  |



Blackjack Oak 22220

|                                        |                 |
|----------------------------------------|-----------------|
| Classic Herringbone (CHB) 408 x 102 mm | RO22220CHB40591 |
| Short Herringbone (HB) 632 x 158 mm    | RO22220HB40591  |




Laurel Oak 51282

|                                        |                 |
|----------------------------------------|-----------------|
| Classic Herringbone (CHB) 408 x 102 mm | RO51282CHB40646 |
| Short Herringbone (HB) 632 x 158 mm    | RO51282HB40646  |



Galway Oak 87450

|                                        |                 |
|----------------------------------------|-----------------|
| Classic Herringbone (CHB) 408 x 102 mm | RO87450CHB41201 |
| Short Herringbone (HB) 632 x 158 mm    | RO87450HB41201  |



Classic Oak 24430

|                                        |                 |
|----------------------------------------|-----------------|
| Classic Herringbone (CHB) 408 x 102 mm | RO24430CHB41200 |
| Short Herringbone (HB) 632 x 158 mm    | RO24430HB41200  |



Country Oak 54460

|                                        |                 |
|----------------------------------------|-----------------|
| Classic Herringbone (CHB) 408 x 102 mm | RO54460CHB41198 |
| Short Herringbone (HB) 632 x 158 mm    | RO54460HB41198  |




Blackjack Oak 22937

|                                        |                 |
|----------------------------------------|-----------------|
| Classic Herringbone (CHB) 408 x 102 mm | RO22937CHB40596 |
| Short Herringbone (HB) 632 x 158 mm    | RO22937HB40596  |



Moduleo floors with 'embossed in register' technology have a realistic texture that is perfectly in sync with the design.



#### Country Oak 54991

Classic Herringbone  
(CHB) 408 x 102 mm

RO54991CHB40849

Short Herringbone  
(HB) 632 x 158 mm

RO54991HB40849

Selected a floor?

Show your customer  
instantly what it looks  
like in their home >



Galway Oak  
87243

Combined with  
paintable skirting

# 4 themes to shape your floor choice

In a world full of noise and pace, Roots invites to slow down. To live with more intention, in an interior that feels calm and meaningful. This collection brings natural materials, tactile textures and subtle colours together in floors that don't just look beautiful, but feel just right.

Each design is rooted in a theme that gives the interior direction. From calm minimalism to warm nostalgia. Be inspired by four timeless styles.

Whichever style your customer choose, Roots helps them create an interior that feels like coming home. With materials that speak, colours that move you and designs that last.

## Themes

1. Reclaimed Heritage
2. Gentle Brutalism
3. Sunlit Ease
4. Joyfull Minimalism



- ✓ Authentic craftsmanship
- ✓ Rich textures & materials
- ✓ Luxurious
- ✓ Warmth

- 1 Galway Oak HB 87250
- 2 Galway Oak 87870
- 3 Allegro 46252
- 4 Allabaster Marble 46252



# Reclaimed Heritage:

crafted warmth  
for modern living.

Reclaimed Heritage stands for a warm, layered interior where they can unwind and feel at home. Timeless materials, authentic craftsmanship, and rich textures add depth and character, complemented by subtle colour accents. The result is a stylish home that doesn't follow trends, but remains timeless and gains meaning over the years.



1

2

1 Mattina 46580

2 Mustang Slate 70939

- ✓ Architectural style
- ✓ Raw materials
- ✓ Harmony

26

# Gentle Brutalism:

## A study in stillness and structure.

Gentle Brutalism creates calm through clarity. Clean lines and logical structures give the interior a sense of direction without feeling harsh. Concrete and stone looks form a solid, honest foundation, while light brings the architecture to life and adds depth. The softness lies in the details: subtle curves and nuances that guide the space. The result is an interior that feels focused and orderly, yet remains warm and comfortable — a place where simplicity gives direction and silence speaks.



Mattina  
46580

Found a floor you love?  
Maybe even two? Create  
your own moodboard.

[Order your free samples >](#)





# Sunlit Ease:

## Where light settles softly.

Sunlit Ease captures the soft light at the end of the day and translates it into an interior full of peace and warmth. No rules, just atmosphere: sun-warmed tones and natural colours that blend effortlessly.

Light moves slowly through the space, bringing materials such as wood, stone, and linen to life in ever-changing ways. Rounded shapes and soft textures create a flowing, comfortable experience. The result is an interior that lives with the moment and feels just that little bit softer every day.

28

- ✓ Rhythm and light
- ✓ Warm materials & colours
- ✓ Nostalgic



- 1 English Walnut 20572
- 2 Locarno 46963
- 3 Glyde Oak 22831
- 4 English Walnut 20889

- ✓ Soft neutral base
- ✓ Playful colour accents
- ✓ Clean lines
- ✓ Simplicity



## Joyful Minimalism:

Calm with  
a spark.

Some interiors make you instantly happy. Not because they are perfect, but because they simply feel right. Joyful Minimalism enhances that feeling. It combines the lightness of minimalism with small moments of joy that make a space personal. Clear and simple, but never distant.

# Feel at home

Tactile and surprisingly versatile. Roots brings style, strength and comfort together to create a home that feels naturally balanced.

30

## Here's what Roots brings to your space:

### ✓ Design freedom

Mix and match your way. Place planks and tiles effortlessly side by side and connect spaces into one smooth whole, from kitchen to living room. Create an interior that feels personal, balanced and beautifully co-ordinated.

### ✓ Warm & silent

Every Roots floor feels warm underfoot and softens sound, giving your home a calm, comfortable atmosphere. Suitable for underfloor heating and cooling. A natural fit for modern living.



Glyde Oak  
22219

Triana  
46233



Lifelike  
texture

Feel at home

31

### ✓ **Made to last**

Roots is ready for everyday life. The floors are water, scratch and stain resistant and come with a lifetime warranty. Thoughtfully designed and made to keep their beauty for years to come.

### ✓ **Looks natural, feels natural**

Every plank and tile shows lifelike textures and refined details that capture the essence of wood and stone. Authentic materials, with details that keep convincing.

# Meet Flex Pro Pure

The self-adhesive underlay that saves you time, effort and headaches. No glue, no mess, no waiting around. Just lay it down and get the job done.

And the best part? You can walk on it immediately. But a smooth installation is just the beginning, it's also a sustainable choice. A damaged plank or tile? Swap it out and replace it. Need a change? Lift the floor and underlay right off, without damaging the subfloor. Everything is 100% recyclable, so there's zero waste – just a circular future.

## Fast installation

Once installed, Flex Pro Pure enhances your space with excellent sound insulation, creating a quieter and more comfortable environment, particularly in adjacent rooms.

## Circular design

Flex Pro Pure is a more sustainable choice. Both the underlay and the Roots flooring can be fully recycled through our exclusive Recover take-back programme - unlike traditional glue-down installation methods. Zero waste, only endless potential.

### Fast installation

- ✓ **No subfloor preparation**  
Smooths out minor irregularities up to 3 mm.
- ✓ **Easy installation**  
No messy glues, no drying times, no restrictions.
- ✓ **Twice as fast**  
Lay it down and walk on it immediately.

### Circular design

- ✓ **Easy to repair, remove and recycle**



Discover more  
tips on how  
to install your  
Moduleo floor




Flex Pro Pure Underlay

## Floor Prep

Moduleo Floor Prep is a ready to use leveling compound for **smoothing out tile joints**, used in preparation of the installation with Flex Pro Pure.


- ✓ Ready to use, no mixing needed
- ✓ Easy to apply, no primer needed
- ✓ Hardens quickly



# Installation

## Flex Pro Pure Underlay

The self-adhesive underlay that installs fast, without glue, and is 100% recyclable.

|                                                                                                                                                                                                                                                               | Surface Area |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| <div>  <div> <div>Flex Pro Pure</div> <div>653145</div> <div>MODVUDLFLEXPROPURE</div> <div> <div>✓ Fast installation</div> <div>✓ Circular design</div> </div> </div> </div> | 6,5 m²       |

## Floor Prep

An installation on tiles and not sure about the joints?

Use Floor Prep, a ready to use levelling compound for smoothing tile joints before installing the Flex Pro Pure with your Moods floor.

|                                                                                                                                                                                                                                                                                                                   | kg |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <div>  <div> <div>Floor Prep</div> <div>652898</div> <div>MODVFLOORPREP</div> <div> <div>✓ Ready to use, no mixing needed</div> <div>✓ Easy to apply, no primer needed</div> <div>✓ Hardens quickly</div> </div> </div> </div> | 5  |

# Glue

Moduleo can also be installed using the **traditional glue method**.

Ensure that the **subfloor** is properly **prepared**, with no irregularities exceeding 0.2 mm. Proper subfloor preparation, including leveling and priming, along with adequate **drying times**, is essential for optimal results.

**Unsure of the best approach?** Consider the **Flex Pro Pure** for an easy, cost-effective, time-efficient, adhesive-free, and sustainable option.

|                                                                                                                                                                             |                                                      | Pack      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|-----------|
|                                                                                                                                                                             |                                                      | pc / pack |
|                                                                                           |                                                      |           |
|                                                                                                                                                                             | kg                                                   |           |
|                                                                                                                                                                             | Pressure Sensitive Adhesive<br>343669<br>MODVADHPS15 | 15        |
|                                                                                                                                                                             | Pressure Sensitive Adhesive<br>343936<br>MODVADHPS5  | 5         |
| <ul style="list-style-type: none"> <li>✓ Guarantees perfect dimensional stability with Moduleo floors</li> <li>✓ High residual tack</li> <li>✓ Long working time</li> </ul> |                                                      |           |
|                                                                                          |                                                      |           |
|                                                                                                                                                                             | kg                                                   |           |
|                                                                                                                                                                             | High Temperature Adhesive<br>343937<br>MODVADHHT15   | 15        |
|                                                                                                                                                                             | High Temperature Adhesive<br>343935<br>MODVADHHT5    | 5         |
| <ul style="list-style-type: none"> <li>✓ Guarantees perfect dimensional stability with Moduleo floors</li> <li>✓ Ideal for spaces with a lot of direct sunlight</li> </ul>  |                                                      |           |

When you have extreme temperature fluctuations and/or heavy traffic of heavy loads, opt for the fully glued installation with the Moduleo High Temperature adhesive.

# Complete the look

Design is in the details. They can take an interior from “nearly there” to “**picture-perfect**” and beyond. From **skirtings** with the exact same colour and texture as your floor, to contrasting **design strips**, with our accessories you can make every detail just right and bring the entire room together. And they’re just as scratch and stain resistant as your floor.

36

## Matching or paintable skirtings

Align your project with a distinctive style. Our skirting boards in matching colours ensure seamless integration, while our versatile white and paintable options offer maximum flexibility for a perfect finish.

English Walnut  
20275

Combined with  
medium paintable skirtings



# Skirtings

## Colour matched skirtings



|                                                                                  | Piece     |          |           |
|----------------------------------------------------------------------------------|-----------|----------|-----------|
|                                                                                  | length mm | width mm | height mm |
| <b>Standard skirting</b><br>MODVSKR(-)                                           | 2400      | 12.5     | 60        |
| ✓ Made from the floor<br>✓ Identical design<br>✓ Highly scratch & wear resistant |           |          |           |

## White & Paintable skirtings



|                                                                                            | Piece     |          |           |
|--------------------------------------------------------------------------------------------|-----------|----------|-----------|
|                                                                                            | length mm | width mm | height mm |
| <b>Scotia</b><br>345508<br>MODHSCOT19PAINT                                                 | 2400      | 19       | 19        |
| ✓ Multi-purpose surface: can be left white or painted<br>✓ Waterproof<br>✓ 100% recyclable |           |          |           |



|                                                                                            |      |    |    |
|--------------------------------------------------------------------------------------------|------|----|----|
| <b>Medium skirting</b><br>345506<br>MODHSK58PAINT                                          | 2400 | 13 | 58 |
| ✓ Multi-purpose surface: can be left white or painted<br>✓ Waterproof<br>✓ 100% recyclable |      |    |    |



|                                                                                            |      |    |    |
|--------------------------------------------------------------------------------------------|------|----|----|
| <b>High skirting</b><br>345507<br>MODHSK80PAINT                                            | 2400 | 15 | 80 |
| ✓ Multi-purpose surface: can be left white or painted<br>✓ Waterproof<br>✓ 100% recyclable |      |    |    |

# Finishing

## MSK Adhesive



|                                                                                                                | Piece     |          |           | Pack      |           |          |           |
|----------------------------------------------------------------------------------------------------------------|-----------|----------|-----------|-----------|-----------|----------|-----------|
|                                                                                                                | length mm | width mm | height mm | pc / pack | length mm | width mm | height mm |
| <b>Uniglue</b><br>344856<br>MODGLUE290                                                                         | 50        | 50       | 225       | 12        | 213       | 160      | 240       |
| <div>✓ Developed for installation of Moduleo accessories</div> <div>✓ High elasticity and final strength</div> |           |          |           |           |           |          |           |

## Radiator cover



|                                      | Piece       |
|--------------------------------------|-------------|
|                                      | Diameter mm |
| <b>Radiator cover 18mm</b><br>344857 | 46          |
| <b>Radiator cover 22mm</b><br>344858 | 48          |

## Doormat



|                                               | Piece     |          |           |
|-----------------------------------------------|-----------|----------|-----------|
|                                               | length mm | width mm | height mm |
| <b>Entrance mat Small</b>                     |           |          |           |
| <b>Sand Grey</b><br>345287<br>SFDOORMATSANDS  | 600       | 900      | 8         |
| <b>Ash Grey</b><br>345307<br>SFDOORMATASHS    | 600       | 900      | 8         |
| <b>Carbon Grey</b><br>345308<br>SFDOORMATCARS | 600       | 900      | 8         |
| <b>Entrance mat Large</b>                     |           |          |           |
| <b>Sand Grey</b><br>345311<br>SFDOORMATSANDL  | 900       | 1500     | 8         |
| <b>Ash Grey</b><br>345312<br>SFDOORMATASHL    | 900       | 1500     | 8         |
| <b>Carbon Grey</b><br>345313<br>SFDOORMATCARL | 900       | 1500     | 8         |

- ✓ Optimum protection of your Moduleo floor
- ✓ Effectively trap dirt, mud and debris



# Finishing

## Joint Sealant

**Fills small joints and imperfections**

By closing and removing any gaps with the dedicated Joint Sealant, you protect your Moods floor against dirt and moisture. Ready to use grout, available in 5 different colours you can mix.

|                                                                                   |                                                                                     | Bucket                                                      |   |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------|---|
|                                                                                   |                                                                                     | kg                                                          |   |
|  |    | <b>Joint Sealant - Black</b><br>340318<br>SFSEALBLACK1000   | 1 |
|                                                                                   |    | <b>Joint Sealant - Silk</b><br>340319<br>SFSEALSILK1000     | 1 |
|                                                                                   |  | <b>Joint Sealant - Brown</b><br>340320<br>SFSEALBROWN1000   | 1 |
|                                                                                   |  | <b>Joint Sealant - Jasmine</b><br>340321<br>SFSEALWHITE1000 | 1 |
|                                                                                   |  | <b>Joint Sealant - Beige</b><br>345117<br>SFSEALBEIGE1000   | 1 |




## Design Strips

### Create your own visual effect

Match the Design Strips with your floor or make it stand out, it's up to you. These flexible joint features come in 11 colours. They match our Roots collection in height and colour, so it's very easy to create zonings. Want to imitate a tile grout joint or combine with Roots planks? Sure, why not. Get creative.



|                                                      | Piece     |          |           |
|------------------------------------------------------|-----------|----------|-----------|
|                                                      | length mm | width mm | height mm |
| <b>Taupe Metallic</b><br>345119<br>SFDESIGNTAUPE     | 5000      | 3        | 2,25      |
| <b>Stainless Metallic</b><br>345275<br>SFDESIGNSTAIN | 5000      | 3        | 2,25      |
| <b>Gold Metallic</b><br>345276<br>SFDESIGNGOLD       | 5000      | 3        | 2,25      |
| <b>Rosé Gold Metallic</b><br>345277<br>SFDESIGNROSE  | 5000      | 3        | 2,25      |
| <b>Snow White</b><br>345278<br>SFDESIGNSNOW          | 5000      | 3        | 2,25      |
| <b>Smooth Grey</b><br>345279<br>SFDESIGNSMOOTH       | 5000      | 3        | 2,25      |
| <b>Mouse Grey</b><br>345280<br>SFDESIGNMOUSE         | 5000      | 3        | 2,25      |
| <b>Off Black</b><br>345281<br>SFDESIGNBLACK          | 5000      | 3        | 2,25      |
| <b>Off White</b><br>345282<br>SFDESIGNOFF            | 5000      | 3        | 2,25      |
| <b>Nordic Blue</b><br>345283<br>SFDESIGNNORDIC       | 5000      | 3        | 2,25      |
| <b>Funghi Beige</b><br>345284<br>SFDESIGNFUNGHI      | 5000      | 3        | 2,25      |



# Maintenance

## Maintenance



**Floor Care Kit**  
**345759**  
MODCAREKITECO

- ✓ All-in-one maintenance box for comprehensive floor care
- ✓ Contains 1L of Floor cleaner, 250ML of Spot cleaner and 16 felt pads

| Piece     |           |          |           |
|-----------|-----------|----------|-----------|
| pc / pack | length mm | width mm | height mm |

|   |     |    |     |
|---|-----|----|-----|
| 6 | 150 | 80 | 343 |
|---|-----|----|-----|



**Floor Cleaner 1L**  
**345757**  
MODCLEANECO1000

- ✓ Biodegradable formula
- ✓ Protects your floor's beautiful original character
- ✓ Developed for all Moduleo floors

| Piece     |           |          |           |
|-----------|-----------|----------|-----------|
| pc / pack | length mm | width mm | height mm |

|   |    |    |     |
|---|----|----|-----|
| 6 | 90 | 76 | 270 |
|---|----|----|-----|



**Spot Cleaner 250ML**  
**345758**  
MODSPOTCLEAN

- ✓ Removes even the most persistent stains
- ✓ Gentle for your floor
- ✓ Developed for Moduleo floors

| Piece     |           |          |           |
|-----------|-----------|----------|-----------|
| pc / pack | length mm | width mm | height mm |

|    |    |    |     |
|----|----|----|-----|
| 20 | 50 | 50 | 200 |
|----|----|----|-----|

# Maintenance




**Cleaning Kit**  
**652810**  
MODSPRAYKIT

- ✓ Floor mop with refillable water tank
- ✓ Washable microfibre mop
- ✓ Floor Cleaner 1L

| Piece     |           |          |           |
|-----------|-----------|----------|-----------|
| pc / pack | length mm | width mm | height mm |

|    |     |     |     |
|----|-----|-----|-----|
| 12 | 665 | 170 | 105 |
|----|-----|-----|-----|



**Cleaning mop**  
**652808**  
MODSPRAYMOP

- ✓ High-quality microfiber mop
- ✓ Machine washable up to 60 °C
- ✓ Developed for all Moduleo floors

| Piece     |           |          |           |
|-----------|-----------|----------|-----------|
| pc / pack | length mm | width mm | height mm |

|   |     |     |   |
|---|-----|-----|---|
| 6 | 430 | 145 | 8 |
|---|-----|-----|---|

## Moduleo Cleaning kit

Keep your floor looking its best with the Moduleo Cleaning Kit, including a reuseable mop head and refillable reservoir.

Ask for them at your point of sale.



5 tips to enjoy  
your Moduleo  
floor for life

# Technical Specifications



## Technical Specifications

### Product information

|                          |                                     |                       |
|--------------------------|-------------------------------------|-----------------------|
| Product norm             | EN ISO 10582:2018-01 (EN 16511)     |                       |
| Level of use             | EN ISO 10874 / EN ISO 10582:2018-01 | 23 - 32 - 33 - 42*    |
| Top layer                | EN ISO 24340:2012-02                | 0.55 mm   0.40 mm     |
| Total thickness          | ISO 24346:2006-10                   | 2.50 mm   2.35 mm     |
| Bevel                    |                                     | 4V Micro              |
| Total mass per unit area | EN ISO 23997:2012-02                | 4063 g/m <sup>2</sup> |

### Size & packaging

|                         |                  |                                   |
|-------------------------|------------------|-----------------------------------|
| Medium plank            | EN 17539:2021-08 | 1498 x 214 x 2.50 mm              |
| Standard plank 0.55     | EN 17539:2021-08 | 1320 x 196 x 2.50 mm              |
| Standard plank 0.40     |                  | 1320 x 196 x 2.35 mm              |
| Classic Herringbone     | EN 17539:2021-08 | 408 x 102 x 2.50 mm               |
| Short Herringbone       | EN 17539:2021-08 | 632 x 158 x 2.50 mm               |
| Box Medium plank        | -                | 10 pcs/box - 3.206 m <sup>2</sup> |
| Box Standard plank 0.55 | -                | 14 pcs/box - 3.622 m <sup>2</sup> |
| Box Standard plank 0.40 | -                | 15 pcs/box - 3.881 m <sup>2</sup> |
| Box Classic Herringbone | -                | 40 pcs/box - 1.665 m <sup>2</sup> |
| Box Short Herringbone   | -                | 24 pcs/box - 2.397 m <sup>2</sup> |
| Square tile             | EN 17539:2021-08 | 493 x 493 x 2.50 mm               |
| Medium tile             | EN 17539:2021-08 | 986 x 493 x 2.50 mm               |
| Standard tile 0.55      | EN 17539:2021-08 | 659 x 329 x 2.50 mm               |
| Standard tile 0.40      |                  | 659 x 329 x 2.35 mm               |
| Box Square tile         | -                | 14 pcs/box - 3.403 m <sup>2</sup> |
| Box Standard tile 0.55  | -                | 16 pcs/box - 3.469 m <sup>2</sup> |
| Box Standard tile 0.40  | -                | 18 pcs/box - 3.903 m <sup>2</sup> |
| Box Medium tile         | -                | 10 pcs/box - 4.861 m <sup>2</sup> |

### Test results

|                                |                                              |                                                                                                                                                                                                |
|--------------------------------|----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Straightness & squareness      | EN ISO 24342:2018-11                         | ≤400mm: ≤0.25 mm<br>>400mm: ≤0.35mm                                                                                                                                                            |
| Impact resistance              | EN 13329:2006 + A1:2008-08. Annex F          | ≥ 1600 mm                                                                                                                                                                                      |
| Scratch resistance             | EN 16094:2021-06                             | ≤ MSR-A2<br>MSR-B1                                                                                                                                                                             |
| Castor chairs                  | EN ISO 4918:2021-03                          | 25000 cycli<br>No delamination, no disturbance                                                                                                                                                 |
| Displacement of furniture feet | EN ISO 16581:2019-06                         | No visible damage                                                                                                                                                                              |
| Residual indentation           | EN ISO 24343-1:2012-01                       | Norm: ≤ 0.1 mm<br>Average production result: ≤ 0.05 mm                                                                                                                                         |
| Resistance against staining    | ISO 26987:2008-08                            | OK<                                                                                                                                                                                            |
| Dimensional stability          | EN ISO 23999:2021-11                         | Norm: ≤  0.25 %<br>Average production result: ≤  0.05 %                                                                                                                                        |
| Curling                        | EN ISO 23999:2021-11                         | Norm: ≤  2  mm<br>Average production result: ≤  2  mm                                                                                                                                          |
| Light fastness                 | EN ISO 105-B02:2014-09                       | Class > 6                                                                                                                                                                                      |
| Acoustic insulation            | DIN EN ISO 717-2:2013-06                     | Glued down: ΔLw = 3 dB<br>On a Flex Pro Pure underlay: ΔLw = 10 dB                                                                                                                             |
| Floor heating                  |                                              | Appropriate for all standard heating systems in cement subfloors. Limited application with heating films and alternatives. Max contact temp is ≤ 27°C. See separate installation instructions. |
| Formaldehyde emission          | EN 717-1:2004-10                             | No formaldehyde added to the product:<br>E1 (≤ 0.124 mg/m <sup>3</sup> )                                                                                                                       |
| Fire resistance                | EN 13501-1:2018                              | Bfl-s1                                                                                                                                                                                         |
| Thermal resistance             | EN 12667:2001-01                             | Without underlay: 0.01 m <sup>2</sup> K/W                                                                                                                                                      |
| Slip resistance                | EN 13893:2002-11<br>EN 16165:2021-10 Annex B | Norm: μ ≥ 0.30 DS<br>R9 - R10                                                                                                                                                                  |
| Warranty years                 | See warranty conditions                      | Residential lifetime warranty /<br>Commercial: 10 years                                                                                                                                        |


The warranty covers manufacturing defects and premature wear in the event of normal use. Unilin reserves the right to change or amend any written information without notice. Ensure the latest information is being consulted by referring to the website. We reserve all rights for technical improvements. Photographic images are not representative due to variations in colour printing. The representative samples shown are sectional definitions. For full design representation, please visit the website.

\* Only valid for fully bonded installation, not on looselaid underlays.



## Discover our Room Visualiser

With the Room Visualiser, customers can upload photos of their home and instantly try out Moduleo luxury flooring. This helps them better imagine the final result and choose the style that suits them perfectly.



46



- ✓ Easy to lift, remove and reuse
- ✓ Extra matt finishing
- ✓ Excellent accoustics

## Intoo

Combining style and flexibility

Intoo Loose Lay planks and tiles can be easily lifted, removed, and reused: the ultimate worry-free solution for office, retail, and hospitality projects. The subfloor remains accessible and intact, helping ensure the continuity of your business operations.




# LayRed

**Strong core**  
**Beautiful design**

Our LayRed collection is built to make your floor update as easy as possible. Extra strong and easier to place. No demolition or levelling needed. It's your go-to renovation floor. A drill? No need for it.



- ✓ Looks natural  
Feels natural
- ✓ Fully waterproof  
even at the joints
- ✓ Renovation  
friendly
- ✓ Warm & silent



Lugano  
46910

# Moods

**Creative designs**  
**Your play**

Looking for something different? Feeling creative? Let yourself go with our Moods collection. Geometric shapes, graphic patterns, and powdery pastel colours: just go for it!

- ✓ Creative designs
- ✓ Warm & silent
- ✓ Lifelike textures



### Selected a floor?

Show your customer  
instantly what it  
looks like in their  
home >

26\_0002\_01\_MOD\_LVT\_B2B Brochure\_Roots\_2026\_UK

 **moduleo**®  
design floors

a brand of  **UNILIN**

