

 **moduleo**®
design floors



Roots

Cleverly designed
Unique living

Brochure | For professional use

The right floor for every project.

English Walnut
20275
Combined with
medium paintable skirting

01	Your rhythm, your Roots
	Created for diverse concepts 04
	Made for tomorrow 06
02	Collection overview
	Roots 55 12
	Medium Plank
	Medium Tile
	Standard Plank
	Standard Tile
	Square Tile
	Herringbone
	Roots 40 18
	Standard Plank
	Standard Tile
03	4 themes to shape your floor choice 26
04	Installation
	Quick and easy to install 34
05	Finishing
	Complete the space 38
	Maintenance 44

Your rhythm, your Roots



Home is the place where your customers unwind and express their personality. Why not help them shape that space in a way that truly suits them?

At Moduleo, we believe an interior should reflect your customer's rhythm and lifestyle. That's why we design floors that are not only aesthetically appealing, but also seamlessly align with everyday use. Durable, easy to maintain and made to last for years.

Our Roots collection is inspired by the calm and simplicity of nature. It brings balance, comfort and a timeless look to any space -- values your customers are looking for and that help you provide convincing advice. This way, you're not just offering a floor, but a complete solution that perfectly matches your customer's expectations.

Bring every living style to life


With Roots, you offer more than just flooring - you deliver a complete experience. Rich textures create visual depth, absorb sound and provide a pleasant, warm feel underfoot. Comfort and aesthetics go hand in hand here. From timeless oak and refined stone to soft concrete looks, the collection allows your customers to effortlessly combine materials and colours into a harmonious whole that perfectly matches their personal style. In doing so, you support them in making a choice that truly feels right.

That same attention to detail is reflected in the way Roots is developed. The collection is designed and produced in Belgium, with a focus on quality, sustainability and forward-thinking innovation. Thanks to our circular 'floor-to-floor' programme, you also choose a solution that responds to the growing demand for sustainable products.

This way, you offer your customer a floor that is not only beautiful and comfortable, but also tells a powerful story.



- ✓ Looks natural
Feels natural
- ✓ Warm & silent
- ✓ Mix & match
design seamlessly



Crafted for tomorrow

At Moduleo, you can enjoy stunning vinyl floors that not only transform the space but also help protect the planet. With floors made from vinyl, our commitment to sustainability is more important than ever. That's why our floors are designed for durability, simple maintenance, and long-lasting performance - meaning less waste. "Crafted for tomorrow" isn't just a phrase; it reflects our commitment to thoughtful design, innovation, and sustainability in everything we create.



Scan and read how Recover contributes to a more sustainable floor.

100% Recyclable floors

Crafted for a second life - after a **lifetime**, every part can be reused. No waste, only endless potential.



24% Recycled content

No fluff, just facts—recycled materials in Moduleo floors, closing the loop for those who come after us.

Recover Programme

Got old floors? We'll take care of everything—collecting, sorting, and prepping for their next life. We've got it covered.

From old floors to new floors

Moduleo floors are made to stand the test of time - not just for their toughness and beauty, but because they can be recycled at the end of their life.




1.
Old vinyl
floors and
skirtings

2.
Shredded
into small
vinyl pieces

3.
Melted into
new, usable
granules

4.
New Moduleo
floors to enjoy
another lifetime

Built smart. Strong in every layer.



- ✓ Excimer top coating
- ✓ 2 glass fibre layers and excellent dimensional stability

- ✓ Gluedown product
- ✓ Compatible with Flex Pro Pure

01 Top lacquer

Protective Protectonite® top layer: prevents wear and protects against scratches, scuffs and moisture.

02 Wear layer

Protects the design. The structured surface provides an authentic and natural look

03 Print layer

Various wood and stone designs printed with an innovative technique for an extraordinarily realistic effect.

04 Glass fibre

Ensures outstanding stability, preventing the product from swelling or shrinking.

05 Middle layer

Protects the design. The structured surface provides an authentic and natural look.

06 Glass fibre


By combining two glass fibre layers, Moduleo® offers outstanding stability, preventing the product from swelling or shrinking.

07 Backing

Sound-absorbing and waterproof backing layer with a refined texture for maximum ease of installation, containing at least 24% recycled content and, together with our Flex Pro Pure, fully recyclable through the Recover Take Back programme.

Creative design is one thing. Let's not forget our luxury vinyl floors also have excellent functional features in terms of comfort and performance. The popular design adage 'form follows function' suits Roots perfectly.

Plank designs



Tile designs



Roots Herringbone	Embossing (reliëf)	Wear layer	Dimension (mm)			
				Class	Waterproof	Warranty
Classic Herringbone	in register & standard	0.55	408 x 102 x 2.50	23 33	yes	Residential: Lifetime Commercial: 10 years*
Short Herringbone	in register & standard	0.55	632 x 158 x 2.50	23 33	yes	Residential: Lifetime Commercial: 10 years*
Roots Planken	Embossing (reliëf)	Wear layer	Dimension (mm)			
				Class	Waterproof	Warranty
Standard plank	in register & standard	0.40	1320 x 196 x 2.35	32	yes	Residential: Lifetime Commercial: 7 years*
Standard plank	in register & standard	0.55	1320 x 196 x 2.50	23 33	yes	Residential: Lifetime Commercial: 10 years*
Medium plank	in register & standaard	0.55	1498 x 214 x 2.50	23 33	yes	Residential: Lifetime Commercial: 10 years*

Roots Tiles	Embossing (reliëf)	Wear layer	Dimension (mm)			
				Class	Waterproof	Warranty
Square tile	in register & standaard	0.55	493 x 493 x 2.50	23 33	yes	Residential: Lifetime Commercial: 10 years*
Standard tile	standaard	0.40	659 x 329 x 2.35	32	yes	Residential: Lifetime Commercial: 7 years*
Standard tile	standaard	0.55	659 x 329 x 2.50	23 33	yes	Residential: Lifetime Commercial: 10 years*
Medium tile	standaard	0.55	986 x 493 x 2.50	23 33	yes	Residential: Lifetime Commercial: 10 years*



Moduleo floors with 'embossed in register' technology have a realistic texture that is perfectly in sync with the design.


* On request until 15 years.

Medium Plank

Product details					
Dimension (mm)	Wear layer	Classification	m ² /box	pieces /box	weight /box
1498 x 214 x 2.50 mm	0.55 mm	33	3.206	10	13.43 kg



Galway Oak 87243 RO87243MP41238
Medium plank 1498 x 214 mm ✓



Galway Oak 87245 RO87245MP40988
Medium plank 1498 x 214 mm ✓



Galway Oak 87275 RO87275MP40989
Medium plank 1498 x 214 mm ✓



Laurel Oak 51229 RO51229MP40643
Medium plank 1498 x 214 mm ✓



Laurel Oak 51222 RO51222MP40642
Medium plank 1498 x 214 mm ✓



Nashville Oak 88211 RO88211MP40777
Medium plank 1498 x 214 mm ✓



Laurel Oak 51282 RO51282MP40646
Medium plank 1498 x 214 mm ✓




Laurel Oak 51332 RO51332MP40647
Medium plank 1498 x 214 mm ✓



Glyde Oak 22831 RO22831MP41240
Medium plank 1498 x 214 mm ✓



Moduleo floors with 'embossed in register' technology have a realistic texture that is perfectly in sync with the design.



Glyde Oak 22835 RO22835MP41241
Medium plank 1498 x 214 mm ✓



Nashville Oak 88251 RO88251MP41242
Medium plank 1498 x 214 mm ✓



Nashville Oak 88299 RO88299MP40779
Medium plank 1498 x 214 mm ✓



English Walnut 20275 RO20275MP41243
Medium plank 1498 x 214 mm ✓



Galtymore Oak 86346 RO86346MP41236
Medium plank 1498 x 214 mm ✓



Laurel Oak 51822 RO51822MP40648
Medium plank 1498 x 214 mm ✓



Nashville Oak 88892 RO88892MP41295
Medium plank 1498 x 214 mm ✓




English Walnut 20572 RO20572MP41244
Medium plank 1498 x 214 mm ✓




English Walnut 20889 RO20889MP41245
Medium plank 1498 x 214 mm ✓

Medium Tile


Product details					
Dimension (mm)	Wear layer	Classification	m² /box	pieces /box	weight /box
986 x 493 x 2.50 mm	0.55 mm	33	4.861	10	20.27 kg



Allegro 46252 RO46252MT49299
Medium tile 986 x 493 mm ✓



Allegro 46953 RO46953MT49298
Medium tile 986 x 493 mm ✓



Mattina 46580 RO46580MT49302
Medium tile 986 x 493 mm ✓

Square Tile

Product details					
Dimension (mm)	Wear layer	Classification	m² /box	pieces /box	weight /box
493 x 493 x 2.50 mm	0.55 mm	33	3.403	14	14.12 kg



Lugano 46210 RO46210SQT40791
Square tile 493 x 493 mm ✓



Locarno 46963 RO46963SQT49301
Square tile 493 x 493 mm ✓

Standard Tile

Moduleo floors with 'embossed in register' technology have a realistic texture that is perfectly in sync with the design.

Product details					
Dimension (mm)	Wear layer	Classification	m² /box	pieces /box	weight /box
659 x 329 x 2.50 mm	0.55 mm	33	3.469	16	13.74 kg



Triana 46210 RO46210ST40802
Standard tile 659 x 329 mm ✓



Triana 46224 RO46224ST41248
Standard tile 659 x 329 mm ✓



Triana 46233 RO46233ST40803
Standard tile 659 x 329 mm ✓




Triana 46924 RO46924ST41294
Standard tile 659 x 329 mm ✓



Meteora 46943 RO46943ST40800
Standard tile 659 x 329 mm ✓



Mustang Slate 70939 RO70939ST40626
Standard tile 659 x 329 mm ✓



Mustang Slate 70998 RO70998MT40628
Standard tile 659 x 329 mm ✓

Standard Plank

Product details					
Dimension (mm)	Wear layer	Classification	m² /box	pieces /box	weight /box
1320 x 196 x 2.50 mm	0.55 mm	33	3,622	14	15.09 kg



Blackjack Oak 22937 RO22937SDP40596
Standard plank 1320 x 196 mm ✓



Blackjack Oak 22246 RO22246SDP40593
Standard plank 1320 x 196 mm ✓



Blackjack Oak 22229 RO22229SDP40592
Standard plank 1320 x 196 mm ✓



Classic Oak 24430 RO24430SDP41200
Standard plank 1320 x 196 mm ✓



Country Oak 54460 RO54460SDP41198
Standard plank 1320 x 196 mm ✓



Country Oak 54852 RO54852SDP40842
Standard plank 1320 x 196 mm ✓



Marsh Wood 22326 RO22326SDP40661
Standard plank 1320 x 196 mm ✓



Blackjack Oak 22220 RO22220SDP40591
Standard plank 1320 x 196 mm ✓



Classic Oak 24230 RO24230SDP41199
Standard plank 1320 x 196 mm ✓



Galtymore Oak 86879 RO86879MP41251
Standard plank 1320 x 196 mm ✓



Galway Oak 87832 RO87832SDP40774
Standard plank 1320 x 196 mm ✓



Galway Oak 87870 RO87870MP41253
Standard plank 1320 x 196 mm ✓



Galway Oak 87250 RO87250SDP41202
Standard plank 1320 x 196 mm ✓



Galway Oak 87450 RO87450SDP41201
Standard plank 1320 x 196 mm ✓



Galtymore Oak 86871 RO86871SDP41252
Standard plank 1320 x 196 mm ✓



Country Oak 54991 RO54991SDP40849
Standard plank 1320 x 196 mm ✓



Moduleo floors with 'embossed in register' technology have a realistic texture that is perfectly in sync with the design.

Standard Plank

Product details					
Dimension (mm)	Wear layer	Classification	m² /box	pieces /box	weight /box
1320 x 196 x 2.35 mm	0.40 mm	32	3.881	15	15.09 kg



Midland Oak 22110 RO22110SDP40600
Standard plank 1320 x 196 mm ✓



Midland Oak 22929 RO22929SDP40606
Standard plank 1320 x 196 mm ✓



Country Oak 24918 RO24918SDP40837
Standard plank 1320 x 196 mm ✓



Midland Oak 22231 RO22231SDP40602
Standard plank 1320 x 196 mm ✓



Country Oak 24130 RO24130SDP40834
Standard plank 1320 x 196 mm ✓



Midland Oak 22255 RO22255SDP41291
Standard plank 1320 x 196 mm ✓



Classic Oak 24837 RO24837SDP40828
Standard plank 1320 x 196 mm ✓



Country Oak 24842 RO24842SDP40836
Standard plank 1320 x 196 mm ✓



Classic Oak 24235 RO24235SDP40826
Standard plank 1320 x 196 mm ✓




Moduleo floors with 'embossed in register' technology have a realistic texture that is perfectly in sync with the design.




Classic Oak 24438 RO24438SDP40827
Standard plank 1320 x 196 mm ✓



Midland Oak 22842 RO22842SDP41292
Standard plank 1320 x 196 mm ✓



Classic Oak 24888 RO24888SDP41290
Standard plank 1320 x 196 mm ✓



Alabaster Marble 46104 RO46104ST41289
Standard tile 659 x 329 mm ✓



Striato 46906 RO46906ST49322
Standard tile 659 x 329 mm ✓

Classic & Short Herringbone



Moduleo floors with 'embossed in register' technology have a realistic texture that is perfectly in sync with the design.

Product details						
Dimension (mm)		Wear layer	Classification	m² /box	pieces /box	weight /box
Short Herringbone	632 x 158 x 2.50 mm	0.55 mm	33	2.397	24	9.97 kg
Classic Herringbone	408 x 102 x 2.50 mm	0.55 mm	33	1.665	40	6.76 kg



Galway Oak 87243

Classic Herringbone (CHB) 408 x 102 mm	RO87243CHB41238
Short Herringbone (HB) 632 x 158 mm	RO87243HB41238



Galway Oak 87250

Classic Herringbone (CHB) 408 x 102 mm	RO87250CHB41202
Short Herringbone (HB) 632 x 158 mm	RO87250HB41202



Classic Oak 24230

Classic Herringbone (CHB) 408 x 102 mm	RO24230CHB41199
Short Herringbone (HB) 632 x 158 mm	RO24230HB41199



Country Oak 54991

Classic Herringbone (CHB) 408 x 102 mm	RO54991CHB40849
Short Herringbone (HB) 632 x 158 mm	RO54991HB40849

Selected a floor?

Show your customer instantly what it looks like in their home >



Galway Oak 87243

Combined with paintable skirting



Blackjack Oak 22220

Classic Herringbone (CHB) 408 x 102 mm	RO22220CHB40591
Short Herringbone (HB) 632 x 158 mm	RO22220HB40591



Laurel Oak 51282

Classic Herringbone (CHB) 408 x 102 mm	RO51282CHB40646
Short Herringbone (HB) 632 x 158 mm	RO51282HB40646



Galway Oak 87450

Classic Herringbone (CHB) 408 x 102 mm	RO87450CHB41201
Short Herringbone (HB) 632 x 158 mm	RO87450HB41201



Classic Oak 24430

Classic Herringbone (CHB) 408 x 102 mm	RO24430CHB41200
Short Herringbone (HB) 632 x 158 mm	RO24430HB41200



Country Oak 54460

Classic Herringbone (CHB) 408 x 102 mm	RO54460CHB41198
Short Herringbone (HB) 632 x 158 mm	RO54460HB41198



Blackjack Oak 22937

Classic Herringbone (CHB) 408 x 102 mm	RO22937CHB40596
Short Herringbone (HB) 632 x 158 mm	RO22937HB40596

4 themes to shape your floor choice

In a world full of noise and pace, Roots invites to slow down. To live with more intention, in an interior that feels calm and meaningful. This collection brings natural materials, tactile textures and subtle colours together in floors that don't just look beautiful, but feel just right.

Each design is rooted in a theme that gives the interior direction. From calm minimalism to warm nostalgia. Be inspired by four timeless styles.

Whichever style your customer choose, Roots helps them create an interior that feels like coming home. With materials that speak, colours that move you and designs that last.

Themes

1. Reclaimed Heritage
2. Gentle Brutalism
3. Sunlit Ease
4. Joyfull Minimalism

- ✓ Authentic craftsmanship
- ✓ Rich textures & materials
- ✓ Luxurious
- ✓ Warmth



- 1 Galway Oak HB 87250
- 2 Galway Oak 87870
- 3 Allegro 46252
- 4 Allabaster Marble 46252



Reclaimed Heritage: crafted warmth for modern living.

Reclaimed Heritage stands for a warm, layered interior where they can unwind and feel at home. Timeless materials, authentic craftsmanship, and rich textures add depth and character, complemented by subtle colour accents. The result is a stylish home that doesn't follow trends, but remains timeless and gains meaning over the years.



1

2

- 1 Mattina 46580
- 2 Mustang Slate 70939

- ✓ Architectural style
- ✓ Raw materials
- ✓ Harmony



Mattina
46580


Gentle Brutalism:

A study in stillness and structure.

Gentle Brutalism creates calm through clarity. Clean lines and logical structures give the interior a sense of direction without feeling harsh. Concrete and stone looks form a solid, honest foundation, while light brings the architecture to life and adds depth. The softness lies in the details: subtle curves and nuances that guide the space. The result is an interior that feels focused and orderly, yet remains warm and comfortable — a place where simplicity gives direction and silence speaks.

Found a floor you love?
Maybe even two? Create
your own moodboard.

Order your free samples >



1

2

3

4

- 1 Allegro 46953
- 2 Mustang Slate 70998
- 3 Nashville Oak 22211
- 4 Meteora 46943

Sunlit Ease:

Where light settles softly.

Sunlit Ease captures the soft light at the end of the day and translates it into an interior full of peace and warmth. No rules, just atmosphere: sun-warmed tones and natural colours that blend effortlessly.

Light moves slowly through the space, bringing materials such as wood, stone, and linen to life in ever-changing ways. Rounded shapes and soft textures create a flowing, comfortable experience. The result is an interior that lives with the moment and feels just that little bit softer every day.



- ✓ Rhythm and light
- ✓ Warm materials & colours
- ✓ Nostalgic

- 1 English Walnut 20572
- 2 Locarno 46963
- 3 Glyde Oak 22831
- 4 English Walnut 20889

- ✓ Soft neutral base
- ✓ Playful colour accents
- ✓ Clean lines
- ✓ Simplicity



Galtymore Oak
87450

Joyful Minimalism:

Calm with a spark.

Some interiors make you instantly happy. Not because they are perfect, but because they simply feel right. Joyful Minimalism enhances that feeling. It combines the lightness of minimalism with small moments of joy that make a space personal. Clear and simple, but never distant.

Feel at home

Tactile and surprisingly versatile. Roots brings style, strength and comfort together to create a home that feels naturally balanced.

30

Here's what Roots brings to your space:

✓ Design freedom

Mix and match your way. Place planks and tiles effortlessly side by side and connect spaces into one smooth whole, from kitchen to living room. Create an interior that feels personal, balanced and beautifully co-ordinated.

✓ Warm & silent

Every Roots floor feels warm underfoot and softens sound, giving your home a calm, comfortable atmosphere. Suitable for underfloor heating and cooling. A natural fit for modern living.



Glyde Oak
22219

Triana
46233

31

✓ Made to last

Roots is ready for everyday life. The floors are water, scratch and stain resistant and come with a lifetime warranty. Thoughtfully designed and made to keep their beauty for years to come.

✓ Looks natural, feels natural

Every plank and tile shows lifelike textures and refined details that capture the essence of wood and stone. Authentic materials, with details that keep convincing.

Meet Flex Pro Pure

The self-adhesive underlay that saves you time, effort and headaches. No glue, no mess, no waiting around. Just lay it down and get the job done. And the best part? You can walk on it immediately. But a smooth installation is just the beginning, it's also a sustainable choice. A damaged plank or tile? Swap it out and replace it. Need a change? Lift the floor and underlay right off, without damaging the subfloor. Everything is 100% recyclable, so there's zero waste – just a circular future.


Fast installation

Once installed, Flex Pro Pure enhances your space with excellent sound insulation, creating a quieter and more comfortable environment, particularly in adjacent rooms.

Circular design

Flex Pro Pure is a more sustainable choice. Both the underlay and the Roots flooring can be fully recycled through our exclusive Recover take-back programme - unlike traditional glue-down installation methods. Zero waste, only endless potential.

Flex Pro Pure Underlay



Fast installation

- ✓ **No subfloor preparation**
Smooths out minor irregularities up to 3 mm.
- ✓ **Easy installation**
No messy glues, no drying times, no restrictions.
- ✓ **Twice as fast**
Lay it down and walk on it immediately.


Circular design

- ✓ **Easy to repair, remove and recycle**

Floor Prep

Moduleo Floor Prep is a ready to use leveling compound for **smoothing out tile joints**, used in preparation of the installation with Flex Pro Pure.


- ✓ Ready to use, no mixing needed
- ✓ Easy to apply, no primer needed
- ✓ Hardens quickly



Installation

Flex Pro Pure Underlay

The self-adhesive underlay that installs fast, without glue, and is 100% recyclable.

	Surface Area
 Flex Pro Pure 653145 MODVUDLFLEXPROPURE ✓ Fast installation ✓ Circular design	6,5 m²

Floor Prep

An installation on tiles and not sure about the joints?

Use Floor Prep, a ready to use levelling compound for smoothing tile joints before installing the Flex Pro Pure with your Moods floor.

	kg
 Floor Prep 652898 MODVFLOORPREP ✓ Ready to use, no mixing needed ✓ Easy to apply, no primer needed ✓ Hardens quickly	5

Glue

Moduleo can also be installed using the **traditional glue method**. Ensure that the **subfloor** is properly **prepared**, with no irregularities exceeding 0.2 mm. Proper subfloor preparation, including leveling and priming, along with adequate **drying times**, is essential for optimal results. **Unsure of the best approach?** Consider the **Flex Pro Pure** for an easy, cost-effective, time-efficient, adhesive-free, and sustainable option.

		Pack
	kg	pc / pack
 Pressure Sensitive Adhesive 343669 MODVADHPS15	15	1
 Pressure Sensitive Adhesive 343936 MODVADHPS5 ✓ Guarantees perfect dimensional stability with Moduleo floors ✓ High residual tack ✓ Long working time	5	1
 High Temperature Adhesive 343937 MODVADHHT15	15	1
 High Temperature Adhesive 343935 MODVADHHT5 ✓ Guarantees perfect dimensional stability with Moduleo floors ✓ Ideal for spaces with a lot of direct sunlight	5	1

When you have extreme temperature fluctuations and/or heavy traffic of heavy loads, opt for the fully glued installation with the Moduleo High Temperature adhesive.

Complete the look

Design is in the details. They can take an interior from “nearly there” to “**picture-perfect**” and beyond. From **skirtings** with the exact same colour and texture as your floor, to contrasting **design strips**, with our accessories you can make every detail just right and bring the entire room together. And they’re just as scratch and stain resistant as your floor.



Matching or paintable skirtings

Align your project with a distinctive style. Our skirting boards in matching colours ensure seamless integration, while our versatile white and paintable options offer maximum flexibility for a perfect finish.

English Walnut
20275
Combined with
medium paintable skirtings

Skirtings

Colour matched skirtings



	Piece		
	length mm	width mm	height mm
Standard skirting MODVSKR(-)	2400	12.5	60
✓ Made from the floor ✓ Identical design ✓ Highly scratch & wear resistant			

White & Paintable skirtings



	Piece		
	length mm	width mm	height mm
Scotia 345508 MODHSCOT19PAINT	2400	19	19
✓ Multi-purpose surface: can be left white or painted ✓ Waterproof ✓ 100% recyclable			



Medium skirting 345506 MODHSC58PAINT	2400	13	58
✓ Multi-purpose surface: can be left white or painted ✓ Waterproof ✓ 100% recyclable			



High skirting 345507 MODHSC80PAINT	2400	15	80
✓ Multi-purpose surface: can be left white or painted ✓ Waterproof ✓ 100% recyclable			

Finishing

MSK Adhesive



	Piece			Pack			
	length mm	width mm	height mm	pc / pack	length mm	width mm	height mm
Uniglue 344856 MODGLUE290	50	50	225	12	213	160	240
✓ Developed for installation of Moduleo accessories ✓ High elasticity and final strength							

Radiator cover



Piece	
Diameter mm	
Radiator cover 18mm 344857	46
Radiator cover 22mm 344858	48

Doormat



Piece			
Entrance mat Small	length mm	width mm	height mm
Sand Grey 345287 SFDOORMATSANDS	600	900	8
Ash Grey 345307 SFDOORMATASHS	600	900	8
Carbon Grey 345308 SFDOORMATCARS	600	900	8
Entrance mat Large	length mm	width mm	height mm
Sand Grey 345311 SFDOORMATSANDL	900	1500	8
Ash Grey 345312 SFDOORMATASHL	900	1500	8
Carbon Grey 345313 SFDOORMATCARL	900	1500	8

- ✓ Optimum protection of your Moduleo floor
- ✓ Effectively trap dirt, mud and debris



Finishing

Joint Sealant

Fills small joints and imperfections
By closing and removing any gaps with the dedicated Joint Sealant, you protect your Moods floor against dirt and moisture. Ready to use grout, available in 5 different colours you can mix.

		Bucket
		kg
	Joint Sealant - Black 340318 SFSEALBLACK1000	1
	Joint Sealant - Silk 340319 SFSEALSILK1000	1
	Joint Sealant - Brown 340320 SFSEALBROWN1000	1
	Joint Sealant - Jasmine 340321 SFSEALWHITE1000	1
	Joint Sealant - Beige 345117 SFSEALBEIGE1000	1




Design Strips

Create your own visual effect
Match the Design Strips with your floor or make it stand out, it's up to you. These flexible joint features come in 11 colours. They match our Roots collection in height and colour, so it's very easy to create zonings. Want to imitate a tile grout joint or combine with Roots planks? Sure, why not. Get creative.



	Piece		
	length mm	width mm	height mm
Taupe Metallic 345119 SFDESIGNTAUPE	5000	3	2,25
Stainless Metallic 345275 SFDESIGNSTAIN	5000	3	2,25
Gold Metallic 345276 SFDESIGNGOLD	5000	3	2,25
Rosé Gold Metallic 345277 SFDESIGNROSE	5000	3	2,25
Snow White 345278 SFDESIGNSNOW	5000	3	2,25
Smooth Grey 345279 SFDESIGNSMOOTH	5000	3	2,25
Mouse Grey 345280 SFDESIGNMOUSE	5000	3	2,25
Off Black 345281 SFDESIGNBLACK	5000	3	2,25
Off White 345282 SFDESIGNOFF	5000	3	2,25
Nordic Blue 345283 SFDESIGNNORDIC	5000	3	2,25
Funghi Beige 345284 SFDESIGNFUNGHI	5000	3	2,25



Maintenance

Maintenance



Floor Care Kit
345759
MODCAREKITECO

- ✓ All-in-one maintenance box for comprehensive floor care
- ✓ Contains 1L of Floor cleaner, 250ML of Spot cleaner and 16 felt pads

Piece			
pc / pack	length mm	width mm	height mm

6	150	80	343
---	-----	----	-----

Piece			
pc / pack	length mm	width mm	height mm

6	90	76	270
---	----	----	-----

Piece			
pc / pack	length mm	width mm	height mm

20	50	50	200
----	----	----	-----



Floor Cleaner 1L
345757
MODCLEANECO1000

- ✓ Biodegradable formula
- ✓ Protects your floor's beautiful original character
- ✓ Developed for all Moduleo floors



Spot Cleaner 250ML
345758
MODSPOTCLEAN

- ✓ Removes even the most persistent stains
- ✓ Gentle for your floor
- ✓ Developed for Moduleo floors

Maintenance



Cleaning Kit
652810
MODSPRAYKIT

- ✓ Floor mop with refillable water tank
- ✓ Washable microfibre mop
- ✓ Floor Cleaner 1L

Piece			
pc / pack	length mm	width mm	height mm

12	665	170	105
----	-----	-----	-----

Piece			
pc / pack	length mm	width mm	height mm

6	430	145	8
---	-----	-----	---



Cleaning mop
652808
MODSPRAYMOP

- ✓ High-quality microfiber mop
- ✓ Machine washable up to 60 °C
- ✓ Developed for all Moduleo floors

Moduleo Cleaning kit

Keep your floor looking its best with the Moduleo Cleaning Kit, including a reuseable mop head and refillable reservoir.

Ask for them at your point of sale.



5 tips to enjoy your Moduleo floor for life

Technical Specifications

Technical Specifications

Product information		
Product norm	EN ISO 10582:2018-01 (EN 16511)	
Level of use	EN ISO 10874 / EN ISO 10582:2018-01	23 - 32 - 33 - 42*
Top layer	EN ISO 24340:2012-02	0.55 mm 0.40 mm
Total thickness	ISO 24346:2006-10	2.50 mm 2.35 mm
Bevel		4V Micro
Total mass per unit area	EN ISO 23997:2012-02	4063 g/m²
Size & packaging		
Medium plank	EN 17539:2021-08	1498 x 214 x 2.50 mm
Standard plank 0.55	EN 17539:2021-08	1320 x 196 x 2.50 mm
Standard plank 0.40		1320 x 196 x 2.35 mm
Classic Herringbone	EN 17539:2021-08	408 x 102 x 2.50 mm
Short Herringbone	EN 17539:2021-08	632 x 158 x 2.50 mm
Box Medium plank	-	10 pcs/box - 3.206 m²
Box Standard plank 0.55	-	14 pcs/box - 3.622 m²
Box Standard plank 0.40		15 pcs/box - 3.881 m²
Box Classic Herringbone	-	40 pcs/box - 1.665 m²
Box Short Herringbone	-	24 pcs/box - 2.397 m²
Square tile	EN 17539:2021-08	493 x 493 x 2.50 mm
Medium tile	EN 17539:2021-08	986 x 493 x 2.50 mm
Standard tile 0.55	EN 17539:2021-08	659 x 329 x 2.50 mm
Standard tile 0.40		659 x 329 x 2.35 mm
Box Square tile	-	14 pcs/box - 3.403 m²
Box Standard tile 0.55	-	16 pcs/box - 3.469 m²
Box Standard tile 0.40		18 pcs/box - 3.903 m²
Box Medium tile	-	10 pcs/box - 4.861 m²
Test results		
Straightness & squareness	EN ISO 24342:2018-11	≤400mm: ≤0.25 mm >400mm: ≤0.35mm
Impact resistance	EN 13329:2006 + A1:2008-08. Annex F	≥ 1600 mm
Scratch resistance	EN 16094:2021-06	≤ MSR-A2 MSR-B1
Castor chairs	EN ISO 4918:2021-03	25000 cycli No delamination, no disturbance
Displacement of furniture feet	EN ISO 16581:2019-06	No visible damage
Residual indentation	EN ISO 24343-1:2012-01	Norm: ≤ 0.1 mm Average production result: ≤ 0.05 mm
Resistance against staining	ISO 26987:2008-08	OK<
Dimensional stability	EN ISO 23999:2021-11	Norm: ≤ 0.25 % Average production result: ≤ 0.05 %
Curling	EN ISO 23999:2021-11	Norm: ≤ 2 mm Average production result: ≤ 2 mm
Light fastness	EN ISO 105-B02:2014-09	Class > 6
Acoustic insulation	DIN EN ISO 717-2:2013-06	Glued down: ΔLw = 3 dB On a Flex Pro Pure underlay: ΔLw = 10 dB
Floor heating		Appropriate for all standard heating systems in cement subfloors. Limited application with heating films and alternatives. Max contact temp is ≤ 27°C. See separate installation instructions.
Formaldehyde emmision	EN 717-1:2004-10	No formaldehyde added to the product: E1 (≤ 0.124 mg/m³)
Fire resistance	EN 13501-1:2018	Bfl-s1
Thermal resistance	EN 12667:2001-01	Without underlay: 0.01 m² K/W
Slip resistance	EN 13893:2002-11 EN 16165:2021-10 Annex B	Norm: μ ≥ 0.30 DS R9 - R10
Warranty years	See warranty conditions	Residential lifetime warranty / Commercial: 10 years


The warranty covers manufacturing defects and premature wear in the event of normal use. Unilin reserves the right to change or amend any written information without notice. Ensure the latest information is being consulted by referring to the website. We reserve all rights for technical improvements. Photographic images are not representative due to variations in colour printing. The representative samples shown are sectional definitions. For full design representation, please visit the website.

* Only valid for fully bonded installation, not on looselaid underlays.



Discover our Room Visualiser

With the Room Visualiser, customers can upload photos of their home and instantly try out Moduleo luxury flooring. This helps them better imagine the final result and choose the style that suits them perfectly.



LayRed

Strong core
Beautiful design

Our LayRed collection is built to make your floor update as easy as possible. Extra strong and easier to place. No demolition or levelling needed. It's your go-to renovation floor. A drill? No need for it.



- ✓ Looks natural
Feels natural
- ✓ Fully waterproof
even at the joints
- ✓ Renovation
friendly
- ✓ Warm & silent



- ✓ Easy to lift, remove
and reuse
- ✓ Extra matt finishing
- ✓ Excellent accoustics

Intoo

Combining style
and flexibility

Intoo Loose Lay planks and tiles can be easily lifted, removed, and reused: the ultimate worry-free solution for office, retail, and hospitality projects. The subfloor remains accessible and intact, helping ensure the continuity of your business operations.



Lugano
46910

Moods

Creative designs
Your play

Looking for something different? Feeling creative? Let yourself go with our Moods collection. Geometric shapes, graphic patterns, and powdery pastel colours: just go for it!

- ✓ Creative designs
- ✓ Warm & silent
- ✓ Lifelike textures



Selected a floor?

Show your customer
instantly what it
looks like in their
home >

26_0002_01_MOD_LVT_B2B Brochure_Roots_2026_UK

 **moduleo**®
design floors

a brand of  **UNILIN**

